

Bibliographie

- Abernethy VJ, Willby NJ. 1999. Changes along a disturbance gradient in the density and composition of propagule banks in floodplain aquatic habitats. *Plant Ecology* 140: 177-190.
- Acevedo MF, Urban DL, Abla M. 1995. Transition and Gap Models of Forest Dynamics. *Ecological Applications* 5: 1040-1055.
- Agrawal GD. 1999. Diffuse agricultural water pollution in India. *Water Science and Technology* 39: 33-47.
- Allan JD, Erickson DL, Fay J. 1997. The Influence of Catchment Land Use On Stream Integrity Across Multiple Spatial Scales. *Freshwater Biology* 37: 149-161.
- Amoros C, Bornette G, Henry CP. 2000. Environmental Auditing, A Vegetation-Based Method for Ecological Diagnosis of Riverine Wetlands. *Environmental Management* 25: 211-227.
- Amoros C. 2001. The Concept of Habitat Diversity Between and Within Ecosystems Applied to River Side-Arm Restoration. *Environmental Management* 28: 805-817.
- Auble GT, Scott ML, Friedman JM, Back J, Lee VJ. 1997. Constraints On Establishment of Plains Cottonwood in an Urban Riparian Preserve. *Wetlands* 17: 138-148.
- Aust WM, Schoenholtz SH, Zaebst TW, Szabo BA. 1997. Recovery status of a tupelo - cypress wetland seven years after disturbance : silvicultural implications. *Forest Ecology and Management* 90: 161-169.
- Baker WL. 1990. Species richness of Colorado riparian vegetation. *Journal of Vegetation Science* 1: 119-124.
- Bao WK, Chen QH, Liu ZG. 2000. Changes of structure and species composition of degraded plant community along disturbance gradients of different intensities. *Acta Botanica Yunnanica* 22: 307-316.
- Barrat-Segretain M-H. 2001. Biomass allocation in three macrophyte species in relation to disturbance level of their habitat. *Freshwater Biology* 46: 935-945.
- Best EPH, Verhoeven JTA, Wolff WJ. 1993. The Ecology of the Netherlands Wetlands - Characteristics, Threats, Prospects and Perspectives for Ecological Research. *Hydrobiologia* 265: 305-320.
- Bestelmeyer BT, Wiens JA. 1996. The Effects of Land Use On the Structure of Ground-Foraging Ant Communities in the Argentine Chaco. *Ecological Applications* 6: 1225-1240.
- Bird M, Mlambo M, Day J. 2013. Macroinvertebrates as unreliable indicators of human disturbance in temporary depression wetlands of the south-western Cape, South Africa. *Hydrobiologia* 720: 19-37.
- Bolger DT, Scott TA, Rotenberry JT. 1997. Breeding Bird Abundance in an Urbanizing Landscape in Coastal Southern California. *Conservation Biology* 11: 406-421.
- Bonada N, Doledec S, Statzner B. 2007. Taxonomic and biological trait differences of stream macroinvertebrate communities between mediterranean and temperate regions: implications for future climatic scenarios. *Global Change Biology* 13: 1658-1671.
- Bonada N, et al. 2009. Using community and population approaches to understand how contemporary and historical factors have shaped species distribution in river ecosystems. *Global Ecology and Biogeography* 18: 202-213.
- Bonada N, Rieradevall M, Prat N, Resh VH. 2006. Benthic macroinvertebrate assemblages and macrohabitat connectivity in Mediterranean-climate streams of northern California. *Journal of the North American Benthological Society* 25: 32-43.
- Bork EW, Hudson RJ, Bailey AW. 1997. Upland plant community classification in Elk Island national park, Alberta, Canada, using disturbance history and physical site factors. *Plant Ecology* 130: 171-190.
- Bornette G, Amoros C, Lamouroux NL. 1998. Aquatic Plant Diversity in Riverine Wetlands - the Role of Connectivity. *Freshwater Biology* 39: 267-283.
- Bornette G, Amoros C, Piegay H, Tachet J, Hein T. 1998. Ecological Complexity of Wetlands Within a River Landscape. *Biological Conservation* 85: 35-45.
- Bornette G, Amoros C. 1996. Disturbance regimes and vegetation dynamics: Role of floods in riverine wetlands. *J.Veg.Sci.* Vol 7, Iss 5: 615-622.
- Boulton AJ. 1999. An overview of river health assessment: philosophies, practice, problems and prognosis. *Freshwater Biology* 41: 469-479.
- Brazner JC. 1997. Regional, Habitat, and Human Development Influences On Coastal Wetland and Beach Fish Assemblages in Green Bay, Lake Michigan. *Journal of Great Lakes Research* 23: 36-51.
- Bronmark C, Hansson LA. 2002. Environmental issues in lakes and ponds: current state and perspectives. *Environmental Conservation* 29: 290-307.
- Brönmark C, Hansson LA. 2002. Environmental issues in lakes and ponds: current state and perspectives. *Environmental Conservation* 29: 290-307.
- Brunke M. 2002. Floodplains of a regulated southern alpine river (Brenno, Switzerland): ecological assessment and conservation options. *Aquatic Conservation-Marine and Freshwater Ecosystems* 12: 583-599.

- Butler RG, deMaynadier PG. 2008. The significance of littoral and shoreline habitat integrity to the conservation of lacustrine damselflies (Odonata). *Journal of Insect Conservation* 12: 23-36.
- Calme S, Desrochers A. 2000. Biogeographic aspects of the distribution of bird species breeding in Quebec's peatlands. *Journal of Biogeography* 27: 725-732.
- Casanova M, Brock M. 1999. Charophyte occurrence, seed banks and establishment in farm dams in New South Wales. *Australian Journal of Botany* 47: 437-444.
- Chambers RM, Meyerson LA, Saltonstall K. 1999. Expansion of *Phragmites australis* into tidal wetlands of North America. *Aquatic Botany* 64: 261-273.
- Chapin FS, Torn MS, Tateno M. 1996. PRINCIPLES OF ECOSYSTEM SUSTAINABILITY [Review]. *American Naturalist* 148: 1016-1037.
- Charlton J. 1997. APPLICATION OF WASTE STABILISATION PONDS IN BHUTAN - LESSONS WITHIN A SUSTAINABLE DEVELOPMENT CONTEXT [Review]. *Water Science & Technology* 35: 199-208.
- Chovanec A. 1994. Man-made wetlands in urban recreational areas-a habitat for endangered species? *Landscape and Urban Planning* 29: 43-54.
- Clements R, Koh LP, Lee TM, Meier R, Li DQ. 2006. Importance of reservoirs for the conservation of freshwater molluscs in a tropical urban landscape. *Biological Conservation* 128: 136-146.
- Copp GH, Wesley KJ, Vilizzi L. 2005. Pathways of ornamental and aquarium fish introductions into urban ponds of Epping Forest (London, England): the human vector. *Journal of Applied Ichthyology* 21: 263-274.
- Corti D, Kohler SL, Sparks RE. 1997. Effects of hydroperiod and predation on a Mississippi River floodplain invertebrate community. *Oecologia* 109: 154-165.
- Cramer W, Hytteborn H. 1987. The separation of fluctuation and long-term change in vegetation dynamics of a rising seashore. *Vegetatio* 69: 157-167.
- Crosbie B, Chow-Fraser P. 1999. Percentage land use in the watershed determines the water and sediment quality of 22 marshes in the Great Lakes basin. *Canadian Journal of Fisheries and Aquatic Sciences* 56: 1781-1791.
- Dahm CN, Cummins KW, Valett HM, Coleman RL. 1995. An Ecosystem View of the Restoration of the Kissimmee River. *Restoration Ecology* 3: 225-238.
- Daniels RJR, Gadgil M, Joshi NV. 1995. Impact of Human Extraction On Tropical Humid Forests in the Western Ghats in Uttara Kannada, South India. *Journal of Applied Ecology* 32: 866-874.
- Davies ZG, Fuller RA, Loram A, Irvine KN, Sims V, Gaston KJ. 2009. A national scale inventory of resource provision for biodiversity within domestic gardens. *Biological Conservation* 142: 761-771.
- Deharveng L, Lek S. 1995. High Diversity and Community Permeability - the Riparian Collembola (Insecta) of a Pyrenean Massif. *Hydrobiologia* 312: 59-74.
- Deil U. 2005. A review on habitats, plant traits and vegetation of ephemeral wetlands - a global perspective. *Phytocoenologia* 35: 533-705.
- Detenbeck NE, Galatowitsch SM, Atkinson J, Ball H. 1999. Evaluating perturbations and developing restoration strategies for inland wetlands In the Great Lakes Basin. *Wetlands* 19: 789-820.
- Dibble AC, Brissette JC, Hunter ML. 1999. Putting community data to work: some understory plants indicate red spruce regeneration habitat. *Forest Ecology & Management* 114: 275-291.
- Dittmar LA, Neely RK. 1999. Wetland seed bank response to sedimentation varying in loading rate and texture. *Wetlands* 19: 341-351.
- Dubey S, Ursenbacher S, Pellet J, Fumagalli L. 2009. Genetic differentiation in two European tree frog (*Hyla arborea*) metapopulations in contrasted landscapes of western Switzerland. *Amphibia-Reptilia* 30: 127-133.
- Ehrenfeld JG, Toth LA. 1997. Restoration Ecology and the Ecosystem Perspective. *Restoration Ecology* 5: 307-317.
- Ehrenfeld JG. 2000. Evaluating wetlands within an urban context. *Ecological Engineering* 15: 253-265.
- wetland management. *Journal of Applied Ecology* 45: 1160-1169.
- Ehrenfeld JG. 2004. The expression of multiple functions in urban forested wetlands. *Wetlands* 24: 719-733.
- Ehrenfeld JG. 2008. Exotic invasive species in urban wetlands: environmental correlates and implications for
- Engelhardt KAM, Kadlec JA. 2001. Species traits, species richness and the resilience of wetlands after disturbance. *Journal of Aquatic Plant Management* 39: 36-39.
- Engelhardt KAM, Ritchie ME. 2001. Effects of macrophyte species richness on wetland ecosystem functioning and services. *Nature* 411: 687-689.
- Findlay CS, Zheng LG. 1999. Estimating ecosystem risks using cross-validated multiple regression and cross-validated holographic neural networks. *Ecol Model* 119: 57-72.
- Foggo A, Rundle SD, Bilton DT. 2003. The net result: evaluating species richness extrapolation techniques for littoral pond invertebrates. *Freshwater Biology* 48: 1756-1764.
- Fruget JF, Dessaux J, Plenet S. 1996. Macroinvertebrate communities of the Doubs River prior to completion of the Rhine-Rhone connection. *Regulated Rivers-Research & Management* 12: 617-631.

- Gaston KJ, Smith RM, Thompson K, Warren PH. 2005. Urban domestic gardens (II): experimental tests of methods for increasing biodiversity. *Biodiversity and Conservation* 14: 395-413.
- Gauthier S, Leduc A, Bergeron Y. 1996. Forest Dynamics Modelling Under Natural Fire Cycles - a Tool to Define Natural Mosaic Diversity For Forest Management. *Environmental Monitoring & Assessment* 39: 417-434.
- Gilliam FS, Turrell NL, Adams MB. 1995. Herbaceous-Layer and Overstory Species in Clear-Cut and Mature Central Appalachian Hardwood Forests. *Ecological Applications* 5: 947-955.
- Girel J, Manneville O. 1998. Present Species Richness of Plant Communities in Alpine Stream Corridors in Relation to Historical River Management. *Biological Conservation* 85: 21-33.
- Gledhill DG, James P, Davies DH. 2008. Pond density as a determinant of aquatic species richness in an urban landscape. *Landscape Ecology* 23: 1219-1230.
- Gledhill DG, James P. 2012. Socio-economic variables as indicators of pond conservation value in an urban landscape. *Urban Ecosystems* 15: 849-861.
- Golladay SW, Taylor BW, Palik BJ. 1997. Invertebrate communities of forested limesink wetlands in southwest Georgia, USA: Habitat use and influence of extended inundation. *Wetlands* 17: 383-393.
- Guehl JM, Domenach AM, Bereau M, Barigah TS, Casabianca H, Ferhi A, Garbaye J. 1998. Functional Diversity in an Amazonian Rainforest of French Guyana - a Dual Isotope Approach (Delta-N-15 and Delta-C-13). *Oecologia* 116: 316-330.
- Halpern CB. 1988. Early successional pathways and esistance and resistance and resilience of forest communities. *Ecology* 69: 1703-1715.
- Hamer AJ, Parris KM. 2011. Local and landscape determinants of amphibian communities in urban ponds. *Ecological Applications* 21: 378-390.
- 641-652.
- Hamer AJ, Parris KM.. 2013. Predation Modifies Larval Amphibian Communities in Urban Wetlands. *Wetlands* 33: 641-652.
- Hansen AJ, Garman SL, Weigand JF, Urban DL, McComb WC, Raphael MG. 1995. Alternative Silvicultural Regimes in the Pacific Northwest - Simulations of Ecological and Economic Effects. *Ecological Applications* 5: 535-554.
- Hebda R. 1998. Atmospheric Change, Forests and Biodiversity. *Environmental Monitoring & Assessment* 49: 195-212.
- Houlahan JE, Findlay CS. 2004. Estimating the 'critical' distance at which adjacent land-use degrades wetland water and sediment quality. *Landscape Ecology* 19: 677-690.
- Johnson PTJ, Hoverman JT, McKenzie VJ, Blaustein AR, Richgels KLD. 2012. Urbanization and wetland communities: applying metacommunity theory to understand the local and landscape effects. *Journal of Applied Ecology* 50: 34-42.
- Johnston MH, Elliott JA. 1996. Impacts of Logging and Wildfire On an Upland Black Spruce Community in Northwestern Ontario. *Environmental Monitoring & Assessment* 39: 283-297.
- Junk W, Brown M, Campbell I, Finlayson M, Gopal B, Ramberg L, Warner B. 2006. The comparative biodiversity of seven globally important wetlands: a synthesis *Aquatic Sciences* 68: 400-414.
- Kaly UL, Jones GP. 1998. Mangrove restoration: A potential tool for coastal management in tropical developing countries. *Ambio* 27: 656-661.
- Kazemi F, Beecham S, Gibbs J. 2010. Bioretention Swales as Multifunctional Landscapes and their Influence on Australian Urban Biodiversity: Hymenoptera as Biodiversity Indicators. Pages 221-227. *ii International Conference on Landscape and Urban Horticulture*, vol. 881.
- Keddy. 2000. *Wetland Ecology: Principles and Conservation*. Cambridge: Cambridge University Press.
- Kim J, Rejmankova E, Spanglet H. 2001. Implications of a sediment-chemistry study on subalpine marsh conservation in the Lake Tahoe basin, USA. *WETLANDS* 21: 379-394.
- Kirkman LK, Sharitz RR. 1994. Vegetation disturbance and maintenance of diversity in intermittently flooded Carolina bays in South Carolina. *Ecological Applications* 4: 177-188.
- Knight RL, Walton WE, Oâ€™Meara GF, Reisen WK, Wass R. 2003. Strategies for effective mosquito control in constructed treatment wetlands. *Ecological Engineering* 21: 211-232.
- Knutson M, Sauer J, Olsen D, Mossman M, Hemesath L, Lannoo M. 1999. Effects of landscape composition and wetland fragmentation on frog and toad abundance and species richness in Iowa and Wisconsin, USA. *Conservation Biology* 13: 1437-1446.
- Kotanen PM. 1995. Responses of Vegetation to a Changing Regime of Disturbance - Effects of Feral Pigs in a Californian Coastal Prairie. *Ecography* 18: 190-199.
- Ladislav S, Gerente C, Chazarenc F, Brisson J, Andres Y. 2013. Performances of Two Macrophytes Species in Floating Treatment Wetlands for Cadmium, Nickel, and Zinc Removal from Urban Stormwater Runoff. *Water Air and Soil Pollution* 224.

- Landolt E. 1994. Contributions to the flora of the City of Zurich: I. Introduction; description of the new "flora", pteridophytes and gymnosperms. *Botanica Helvetica* 104: 157-170.
- Large A.R.G., Prach K, Bickerton MA, Wade PM. 1994. Alternation of patch boundaries on the floodplain of the regulated river trent, UK. *Regulated rivers: Research & Management* 9: 71-78.
- Lesica P. 1992. Autecology of the endangered plant *Howellia aquatilis*: Implications for management and reserve design. *Ecological Applications* 2: 411-421.
- Lougheed VL, Chow-Fraser P. 2002. Development and use of a zooplankton index of wetland quality in the Laurentian Great Lakes basin. *Ecological Applications* 12: 474-486.
- Lunde KB, Resh VH. 2012. Development and validation of a macroinvertebrate index of biotic integrity (IBI) for assessing urban impacts to Northern California freshwater wetlands. *Environmental Monitoring and Assessment* 184: 3653-3674.
- Magee T, Ernst T, Kentula M, Dwire K. 1999 Sep. Floristic comparison of freshwater wetlands in an urbanizing environment. *Wetlands* 19: 517-534.
- Mallin MA, Ensign SH, Wheeler TL, Mayes DB. 2002. Pollutant Removal Efficacy of Three Wet Detention Ponds. *J. Environ. Qual.* 31: 654-660.
- Maynard DG, MacIsaac DA. 1998. Soil Nutrient and Vegetation Response to Patch Clear-Cutting of an Aspen Forest Near Meadow Lake, Saskatchewan. *Canadian Journal of Soil Science* 78: 59-68.
- McCauley SJ. 2007. The role of local and regional processes in structuring larval dragonfly distributions across habitat gradients. *Oikos* 116: 121-133.
- Medley KE. 1997. Distribution of the Non-Native Shrub *Lonicera Maackii* in Kramer Woods, Ohio. *Physical Geography* 18: 18-36.
- Mensing DM, Galatowitsch SM, Tester JR. 1998. Anthropogenic Effects On the Biodiversity of Riparian Wetlands of a Northern Temperate Landscape. *Journal of Environmental Management* 53: 349-377.
- Meshalkina JL, Stein A, Makarov OA. 1996. Spatial Variability of Soil Contamination Around a Sulphureous Acid Producing Factory in Russia. *Water, Air, & Soil Pollution* 92: 289-313.
- Mulholland PJ, Best GR, Coutant CC, Hornberger GM, Meyer JL, Robinson PJ, Stenberg JR, Turner RE, VeraHerrera F, Wetzel RG. 1997. Effects of climate change on freshwater ecosystems of the south-eastern United States and the Gulf Coast of Mexico. *Hydrological Processes* 11: 949-970.
- Murphy KJ, Hudson KD, Mitchell J. 1994. Fresh-Water and Wetland Plant-Communities of Loch-Lomond. *Hydrobiologia* 290: 63-74.
- Nason JD, Hamrick JL. 1997. Reproductive and Genetic Consequences of Forest Fragmentation - Two Case Studies of Neotropical Canopy Trees. *Journal of Heredity* 88: 264-276.
- Nemani R, Running S. 1997. Land Cover Characterization Using Multitemporal Red, Near-Ir, and Thermal-Ir Data From Noaa/Avhrr. *Ecological Applications* 7: 79-90.
- Oneill MP, Schmidt JC, Dobrowolski JP, Hawkins CP, Neale CMU. 1997. Identifying Sites For Riparian Wetland Restoration - Application of a Model to the Upper Arkansas River Basin. *Restoration Ecology* 5: 85-102.
- Palik B, Batzer DP, Buech R, Nichols D, Cease K, Egeland L, Streblow DE. 2001. Seasonal pond characteristics across a chronosequence of adjacent forest ages in northern Minnesota, USA. *Wetlands* 21: 532-542.
- Panno SV, Nuzzo VA, Cartwright K, Hensel BR, Krapac IG. 1999. Impact of urban development on the chemical composition of ground water in a fen-wetland complex. *Wetlands* 19: 236-245.
- Park YS, Cereghino R, Compin A, Lek S. 2003. Applications of artificial neural networks for patterning and predicting aquatic insect species richness in running waters. *Ecological Modelling* 160: 265-280.
- Parris KM. 2006. Urban amphibian assemblages as metacommunities. *Journal of Animal Ecology* 75: 757-764.
- Pavluk TI, bij de Vaate A, A. H. 2000. Development of an Index of Trophic Completeness for benthic macroinvertebrate communities in flowing waters. *Hydrobiologia* 427 (1): 135-141.
- Pearman PB. 1997. Correlates of amphibian diversity in an altered landscape of Amazonian Ecuador. *Conservation Biology* 11: 1211-1225.
- Pelissier R, Pascal JP, Houllier F, Laborde H. 1998. Impact of Selective Logging On the Dynamics of a Low Elevation Dense Moist Evergreen Forest in the Western Ghats (South India). *Forest Ecology & Management* 105: 107-119.
- Pettit NE, Froend RH. 2001. Variability in flood disturbance and the impact on riparian tree recruitment in two contrasting river systems. *Wetlands Ecology and Management* 9: 13 - 25.
- Pollock MM, Naiman RJ, Hanley TA. 1998. Plant Species Richness in Riparian Wetlands - a Test of Biodiversity Theory. *Ecology* 79: 94-105.
- Quattrochi DA, Ridd MK. 1998. Analysis of Vegetation Within a Semi-Arid Urban Environment Using High Spatial Resolution Airborne Thermal Infrared Remote Sensing Data. *Atmospheric Environment* 32: 19-33.
- Richards C, Johnson LB, Host GE. 1996. Landscape-scale influences on stream habitats and biota. *Canadian Journal of Fisheries and Aquatic Sciences* 53: 295-311.

- Rooney RC, Bayley SE. 2012. Community congruence of plants, invertebrates and birds in natural and constructed shallow open-water wetlands: Do we need to monitor multiple assemblages? *Ecological Indicators* 20: 42-50.
- Russell RC. 1999. Constructed wetlands and mosquitoes: Health hazards and management options. An Australian perspective. *Ecological Engineering* 12: 107-124.
- Ryan LA, Carey AB. 1995. Biology and Management of the Western Gray Squirrel and Oregon White Oak Woodland With Emphasis On the Puget Trough. USDA Forest Service Pacific Northwest Research Station Research Paper: U 1 ff.
- Sanderson RA, Eyre MD, Rushton SP. 2005. Distribution of selected macroinvertebrates in a mosaic of temporary and permanent freshwater ponds as explained by autologistic models. *Ecography* 28: 355-362.
- Santoul F, Figuerola J, Green AJ. 2004. Importance of gravel pits for the conservation of waterbirds in the Garonne river floodplain (southwest France). *Biodiversity and Conservation* 13: 1231-1243.
- Santoul F, Gaujard A, Angelibert S, Mastroiello S, Cereghino R. 2009. Gravel pits support waterbird diversity in an urban landscape. *Hydrobiologia* 634: 107-114.
- Schaefer CA, Larson DW. 1997. Vegetation, Environmental Characteristics and Ideas On the Maintenance of Alvars On the Bruce Peninsula, Canada. *Journal of Vegetation Science* 8: 797-810.
- Schaeffer JS, Bland JK, Janssen J. 2012. Use of a Stormwater Retention System for Conservation of Regionally Endangered Fishes. *Fisheries* 37: 66-75.
- Schaffer B. 1998. FLOODING RESPONSES AND WATER-USE EFFICIENCY OF SUBTROPICAL AND TROPICAL FRUIT TREES IN AN ENVIRONMENTALLY-SENSITIVE WETLAND [Review]. *Annals of Botany* 81: 475-481.
- Schneider DW, Frost TM. 1996. Habitat duration and community structure in temporary ponds. *Journal of the North American Benthological Society* 15: 64-86.
- Schneider DW. 1997. Predation and food web structure along a habitat duration gradient. *Oecologia* 110: 567-575.
- Segerstrom U, Hornberg G, Bradshaw R. 1996. The 9000-Year History of Vegetation Development and Disturbance Patterns of a Swamp-Forest in Dalarna, Northern Sweden. *Holocene* 6: 37-48.
- Semlitsch RD. 2000. Principles for management of aquatic-breeding amphibians. *Journal of Wildlife Management* 64: 615-631.
- Shaw DC, Bible K. 1996. An Overview of Forest Canopy Ecosystem Functions With Reference to Urban and Riparian Systems. *Northwest Science* 70: 1-6.
- Shieh SH, Kondratieff BC, Ward JV, Rice DA. 1999. The relationship of macroinvertebrate assemblages to water chemistry in a polluted Colorado plains stream. *Archiv Fur Hydrobiologie* 145: 405-432.
- Statzner B, Bis B, Doledec S, Usseglio-Polatera P. 2001. Perspectives for biomonitoring at large spatial scales: a unified measure for the functional composition on invertebrate communities in European running waters. *Basic and Applied Ecology* 2: 73-85.
- Stromberg JC, Fry J, Patten DT. 1997. MARSH DEVELOPMENT AFTER LARG FLOODS IN AN ALLUVIAL, ARID-LAND RIVER. *WETLANDS* 17: 292-300.
- Svenning JC. 1998. The effect of land-use on the local distribution of palm species in an Andean rain forest fragment in northwestern Ecuador. *Biodiversity & Conservation* 7: 1529-1537.
- Tang SM, Franklin JF, Montgomery DR. 1997. Forest harvest patterns and landscape disturbance processes. *Landscape Ecology* 12: 349-363.
- Thompson K, Hodgson JG, Smith RM, Warren PH, Gaston KJ. 2004. Urban domestic gardens (III): Composition and diversity of lawn floras. *Journal of Vegetation Science* 15: 373-378.
- Touzard B, Clément B. 2001. Effets de microperturbations expérimentales sur la dynamique de la diversité végétale d'une roselière alluviale eutrophe. *Botanica Helvetica* 111: 45 - 58.
- Trindlersmith TH, Cowling RM, Linder HP. 1996. Profiling a Besieged Flora - Endemic and Threatened Plants of the Cape Peninsula, South Africa. *Biodiversity & Conservation* 5: 575-589.
- Urban KE. 2005. Plant species dynamics during restoration of heath ponds in northwestern Germany. *Phytocoenologia* 35: 511-532.
- Urban MC. 2004. Disturbance heterogeneity determines freshwater metacommunity structure. *Ecology* 85: 2971-2978.
- Urbanc-Bercic O, Gaberscik A. 1997. Reed stands in constructed wetlands: "Edge effect" and photochemical efficiency of PS II in common reed. *Wat.Sci.Tech.* 35(5): 143-147.
- Usseglio-Polatera P, Bournaud M, Richoux P, Tachet H. 2000. Biological and ecological traits of benthic freshwater macroinvertebrates: relationships and definition of groups with similar traits. *Freshwater Biology* 43: 175-205.
- Usseglio-Polatera P, Bournaud M, Richoux P, Tachet H. 2000. Biomonitoring through biological traits of benthic macroinvertebrates: how to use species trait databases? *Hydrobiologia* 422: 153-162.
- Venterink HO, Pieterse NM, Belgers JDM, Wassen MJ, de Ruiter OD. 2002. N, P and K budgets along nutrient availability and productivity gradients in wetlands. *Ecological Applications* 12: 1010-1026.

- Vermonden K, Leuven R, van der Velde G, Hendriks A, van Katwijk M, Roelofs J, Lucassen E, Pedersen O, Sand-Jensen K. 2010. Species pool versus site limitations of macrophytes in urban waters. *Aquatic Sciences - Research Across Boundaries* 72: 379-389.
- Vetaas OR. 1997. The Effect of Canopy Disturbance On Species Richness in a Central Himalayan Oak Forest. *Plant Ecology* 132: 29-38.
- Wagner R, Schmidt HH. 2004. Yearly discharge patterns determine species abundance and community diversity: Analysis of a 25 year record from the Breitenbach. *Archiv Fur Hydrobiologie* 161: 511-540.
- Walford GM, Baker WL. 1995. Classification of the Riparian Vegetation Along a 6-Km Reach of the Animas River, Southwestern Colorado. *Great Basin Naturalist* 55: 287-303.
- Walker B, Kinzig A, Langridge J. 1999. Plant attribute diversity, resilience, and ecosystem function: The nature and significance of dominant and minor species. *Ecosystems* 2: 95-113.
- Wardle DA, Verhoef HA, Clarholm M. 1998. TROPHIC RELATIONSHIPS IN THE SOIL MICROFOOD-WEB - PREDICTING THE RESPONSES TO A CHANGING GLOBAL ENVIRONMENT [Review]. *Global Change Biology* 4: 713-727.
- Weiher E, Clarke GDP, Keddy PA. 1998. Community Assembly Rules, Morphological Dispersion, and the Coexistence of Plant Species. *Oikos* 81: 309-322.
- Wellnitz TA, Ward JV. 1998. Does light intensity modify the effect mayfly grazers have on periphyton? *Freshwater Biology* 39: 135-149.
- Wheeler BD, Lambley PW, Geeson J. 1998. *Liparis loeselii* (L.) Rich. in eastern England: constraints on distribution and population development. *Bot J Linn Soc* 126: 141-158.
- Whiles MR, Goldowitz BS. 2001. Hydrologic influences on insect emergence production from central Platte River wetlands. *Ecological Applications* 11: 1829-1842.
- White JD, Running SW, Thornton PE, Keane RE, Ryan KC, Fagre DB, Key CH. 1998. Assessing Simulated Ecosystem Processes For Climate Variability Research At Glacier National Park, Usa. *Ecological Applications* 8: 805-823.
- Whitham TG, Martinsen GD, Floate KD, Dungey HS, Potts BM, Keim P. 1999. Plant hybrid zones affect biodiversity: Tools for a genetic-based understanding of community structure. *Ecology* 80: 416-428.
- Wiegand G, Herr W, Todeskino D. 1989. Ten years of vegetation dynamics in two rivulets in Lower Saxony (FRG) (West Germany). *Vegetatio* 82: 163-178.
- Wilcox DA, Meeker JE, Hudson PL, Armitage BJ, Black MG, Uzarski DG. 2002. Hydrologic variability and the application of index of biotic integrity metrics to wetlands: A Great Lakes evaluation. *Wetlands* 22: 588-615.
- Wilcox DA. 1995. Wetland and aquatic macrophytes as indicators of anthropogenic hydrologic disturbance. *Nat.Area.J.* Vol 15, Iss 3: 240-248.
- Willby N, Pygott JR, Eatpn JW. 2001. Inter-relationships between standing crop, biodiversity and trait attributes of hydrophytic vegetation in artificial waterways. *Freshwater Biology* 46: 883-902.
- Willby NJ, Abernethy VJ, Demars BOL. 2000. Attribute-based classification of European hydrophytes and its relationship to habitat utilization. *Freshwater Biology* 43: 43-74.
- Wisheu IC, Keddy P. 1996. Three Competing Models For Predicting the Size of Species Pools - a Test Using Eastern North American Wetlands. *Oikos* 76: 253-258.
- Zambrano L, Hinojosa D. 1999. Direct and indirect effects of carp (*Cyprinus carpio* L.) on macrophyte and benthic communities in experimental shallow ponds in central Mexico. *Hydrobiologia* 409: 131-138.