

Published in:
Zakeri, S., Cheikhrouhou, N., Konstantas, D., Barabadi, F.S. (2022). A Grey Approach for the Computation of Interactions Between Two Groups of Irrelevant Variables of Decision Matrices. In: Kulkarni, A.J. (eds) Multiple Criteria Decision Making. Studies in Systems, Decision and Control, vol 407. Springer, Singapore. https://doi.org/10.1007/978-981-16-7414-3_10
which should be cited to refer to this work.

A grey approach for the computation of interactions between two groups of irrelevant variables of decision matrices

Shervin Zakeri^{a,b}, Naoufel Cheikhrouhou^b, Dimitri Konstantas^a, Fereshteh Sattari Barabadi^c

^a Geneva School of Economics and Management, University of Geneva, 1211 Geneva, Switzerland

^b Geneva School of Business Administration, University of Applied Sciences Western Switzerland, HES-SO, 1227 Geneva, Switzerland

^c Department of Public Administration, Financial Management, Islamic Azad University, Mashhad, Iran

Abstract

In this chapter, we aim to find a mathematical solution to compute the impact between two irrelevant decision matrices in a complex decision-making problem using multiple-criteria decision-making (MCDM) methods. The existing MCDM methods merely provide solutions for the one-stage decision-making procedure and do not take other effective variables outside of the decision matrix into account, while, in real-world processes, the decisions always impact by the variables where they appear to be irrelevance. To demonstrate our proposed approach, it is applied to a case of supplier selection and firm`s strategies in which the interaction of selected strategies has been investigated on the selection of the best supplier. In order to handle the uncertainty emerges during the process, this four-section approach is implemented as a grey framework and deals with grey Entropy, grey TOPSIS, and the grey strategies interaction model. With comparison of rankings in computation with impact of selected strategies and without them, results indicated essentially difference between these two cases.

Keywords: Multi-criteria decision-making method; Irrelevance; interaction; Grey TOPSIS; SIM

List of abbreviations and their explanations

Abbreviation	Explanation
MCDM	Multi-criteria decision-making method
DM	Decision-maker
TOPSIS	The Technique for Order of Preference by Similarity to Ideal Solution
G-TOPSIS	Grey TOPSIS
SIM	Strategies interaction model
SWOT	Strengths, Weaknesses, Opportunities, Threats
SO	Strengths Opportunities
WO	Weaknesses Opportunities
ST	Strengths Threats
WT	Weaknesses Threats
QSPM	Quantitative Strategic Planning Matrix
VP	Very Poor
P	Poor
MP	Medium Poor
F	Fair
MG	Medium Good

G	Good
VG	Very Good
GUV	the Grey Uncertainty Value

List of symbols and their remarks

Symbols	Description
$\otimes G_1$	A grey number
$[G_1, \overline{G_1}]$	Grey interval
$\underline{G_1}$	Grey lower bound
$\overline{G_1}$	Grey upper bound
e	Entropy
w	Weight
S^{max}	Positive ideal alternative
S^{min}	Negative ideal alternative
γ_{oi}	The grey relation coefficient
C_i	The grade of grey relatio
$\otimes P = [P_{ij}, \overline{P_{ij}}]$	A normalized grey number
$N_D = [N_{G_{ij}}, N_{\overline{G_{ij}}}]$	The normalized decision matrix
D	The decision matrix
ℓ	The distance between the elements of each cloud with lower and upper bound
q	GUV
ξ	the coefficient of uncertainty/probability

1. Introduction

in order to find the most appropriate solutions, multi-criteria decision-making methods (MCDM) are the translation systems, which translate decision-making problems, from less complex such as the daily decision-making problems to advanced decision-making problems, to the mathematical algorithms. MCDM methods are developed to analyze alternatives against the criteria with the various algorithms to lead the decision-maker (DM) to the optimal solutions for the decision-making problems.

In general, MCDM methods are employed to handle MCDM problem with the selection of a suitable solution amongst alternatives concerning a variety of factors (Zha *et al.*, 2020). Eyvindson *et al.*, (2018) described MCDM techniques as the mathematical methods employed to find a best compromise solution based on judgments provided by stakeholders (Haddad *et al.*, 2020). According to (Zhou *et al.*, 2018), MCDM methods consist of ranking alternatives, or selecting an appropriate alternative, with respect to several multiple, conflicting, and interactive criteria. To solve different decision-making problems, MCDM methods are designed into integrated method, which two or three MCDM methods constitute an integrated approach, or group decision-making methods (Kara & Cheikhrouhou., 2014; Badulescu & Cheikhrouhou., 2018; Mediouni & Cheikhrouhou., 2019). MCDM methods have been applied to a wide range of problem such as Supply chain management (Zavadskas *et al.*, 2020), Energy (Wang *et al.*, 2020), Transportation (Jaller *et al.*, 2020), Logistic (Yildirim *et al.*, 2020), Agriculture and water resource management

(Zamani *et al.*, 2020), Civil engineering and construction management (Fan *et al.*, 2020), Strategic decision-making (Wang & Ying *et al.*, 2020), and Strategic management (Fan *et al.*, 2020; Ocampo *et al.*, 2020).

MCDM methods are designed to analyze a set of alternatives given by the problem against a set of criteria in order to offer the solutions, yet, in the real-world processes, the decisions are affected by multiple variables originated from the external forces from outside of the decision matrices that constructed by the MCDM methods. These variables possibly seem irrelevant to the decision-making problem; however, their impact is hidden in the final result. This brings a serious shortage when the problem is observed through a holistic view. To illustrate how the aforementioned process functions, in this chapter, a mathematical framework is proposed to calculate the impact and interaction between two irrelevance decision matrices. In fact, as discussed in advance, there are many issues that affect the decision-making where they need to be identified while they are not considered in the conventional decision-making methods. For instance, in the supplier selection problem, the lack of consideration of the firm's strategies may cause the wrong selection when the supplier selection, as the part of operational strategies execution, needs to be in line with the firm's strategies.

Supplier selection is a typical MCDM activity (Chai *et al.*, 2013). According to (Negash *et al.*, 2020), selection of the proper suppliers will reduce costs and provide high quality products. EL HIRI *et al.*, (2019) defined selection of the most proper suppliers as a vital activity for elevating the result of a company's efforts to conserves its market position. Indeed, as stated by (Wu & Barnes., 2011), one of the key issues in supply chain management is supplier selection and also finding the best supplier among several alternatives against various criteria, such as services, cost and risks. As mentioned heretofore, in real world the selections which they upon DM's decision occur under uncertainty environment.

As mentioned heretofore, the supplier selection process highly depends on experts' assessments. Yet, the issue emerges when he firms' strategies are not considered by DMs or in general in the decision-making process to select the suppliers. Ignoring the strategies in the supplier selection process mainly causes the lack of a comprehensive approach to select a supplier, provisionally supplier selection and inappropriate selection of the supplier as an integral part of the operational strategies implementation. On the other hand, all environmental planning and management decisions are subject to a number of uncertainties ranging from complexities of natural systems, variable degrees of unpredictable randomness, frequent lack of sufficient data, and at times, the politicized and therefore variable interpretation of information (Mosadeghi *et al.*, 2013). The certain decision approaches have been applied on various studies in the field of supplier selection such as (Abdel-Baset *et al.*, 2019; Abdel-Baset *et al.*, 2018), while certain decisions addressing are based upon classical assumptions and always tend to be so in deterministic conditions (Zakeri & Keramati., 2015).

In the real-world application, with emerge of vagueness, uncertainty, or imprecision in the solutions evaluation, the final output is not a crisp value, but rather a distribution, a fuzzy value or a numerical interval which is called the grey number. In this chapter, the grey system is exercised for the computation of the interactions. The Grey System was first introduced by Deng (1989). The grey system theory is found as a channel in order to materialize incomplete information of individuals, professionals, etc. into discrete data (Karimi & Hojati., 2020). It is widely applied in various fields of research and projects such as systems analysis, data processing, modeling and prediction, as well as

in control and decision-making (Zhang *et al.*, 2013). Deng., (1989, 1990) developed the grey decision-making systems. The grey decision is made in the situation that the decision model has grey elements or the normal decision model and grey model are combined, and the key research is the scheme selection problem (Li & Zhu., 2019). Nowadays, the grey systems theory is broadly applied to different decision-making problem to handle the uncertainty (Zakeri *et al.*, 2019, Li & Sun., 2020). To calculate the interaction between the firm's strategies, which have been derived from grey strategies interaction model, and the supplier selection, grey TOPSIS (G-TOPSIS) and Grey-Entropy are utilized in chapter. Indeed, the objective of this chapter is to propose a solution for the problem of connection between two irrelevance decision matrices which have impact on each other in real world problems.

The rest of this chapter is organized as follows: in the second section, the grey numbers and their operation are demonstrated; the methods which are used in this chapter, are represented in the third section; In the fourth section, the proposed methodology is illustrated; in the fifth section, the application and results are discussed; The comparisons and discussion are stated in the sixth section; and finally, the seventh section is devoted to the conclusion and future research.

2. Grey numbers and operations

The grey information refers to the partial knowledge and incomplete information in a three-section information box including the complete and known information, the incomplete information and the unknown information, where they are cited as the white, gray and black information categories, respectively (Zakeri., 2019). The grey systems theory presents three categories of uncertainty comprising the white, grey and black numbers in accordance with level of information. The meaning of information in the category of grey is as following table (Table.1):

Table 1

The information meaning of the grey

	Information	Appearance	Process	Property	Methodology	Attitude	Conclusion
The Grey	Incomplete	Grey	Replace old with new	Complexity	Transition	Tolerance	Multiple solutions

According to the (Lin *et al.*, 2004) the four possibilities of emergence of gray information is as following list:

- (1) The information about elements is grey;
- (2) The structural information is grey;
- (3) The boundary information is grey;
- (4) The behavior information of motion is grey.

Grey systems theory and its operations are founded on the grey numbers which play a vital role on the application grey methods (Wang., 2013). Limited between two lower and upper bounds, the exact value of grey number is unknown, yet, the range where the value is located is known (Lin *et al.*, 2004). In fact, grey numbers stand for such numbers that are not crisp values, but some incomplete information (Darvishi *et al.*, 2020). Furthermore, Darvishi *et al.*, (2019) defined a grey number as a number with clear upper and lower boundaries, but which has an unclear position within the boundaries. Following equations (Eq. 1-10) address the grey number operations:

$$\text{If } \otimes G_1 = [\underline{G_1}, \overline{G_1}], \otimes G_2 = [\underline{G_2}, \overline{G_2}] \text{ then } \overline{G_1} > \underline{G_1} \text{ and } \overline{G_2} > \underline{G_2}. \quad (1)$$

$$- \otimes G_1 = [-\overline{G_1}, -\underline{G_1}] \quad (2)$$

$$\otimes G_1 + \otimes G_2 = [\underline{G_1} + \underline{G_2}, \overline{G_1} + \overline{G_2}] \quad (3)$$

$$\otimes G_1 - \otimes G_2 = \otimes G_1 + (- \otimes G_2) = [\underline{G_1} - \overline{G_2}, \overline{G_1} - \underline{G_2}] \quad (4)$$

$$\otimes G_1 \times \otimes G_2 = [\min\{\underline{G_1} \underline{G_2}, \underline{G_1} \overline{G_2}, \overline{G_1} \underline{G_2}, \overline{G_1} \overline{G_2}\}, \max\{\underline{G_1} \underline{G_2}, \underline{G_1} \overline{G_2}, \overline{G_1} \underline{G_2}, \overline{G_1} \overline{G_2}\}] \quad (5)$$

$$r \times \otimes G_1 = [r \underline{G_1}, r \overline{G_1}] \quad (6)$$

$$\begin{aligned} \otimes G_1 / \otimes G_2 &= [\underline{G_1}, \overline{G_1}] \times [\frac{1}{\underline{G_2}}, \frac{1}{\overline{G_2}}] = [\underline{G_1}, \overline{G_1}] \times [\underline{G_2^{-1}}, \overline{G_2^{-1}}] = \\ &[\min\{\underline{G_1} \underline{G_2^{-1}}, \underline{G_1} \overline{G_2^{-1}}, \overline{G_1} \underline{G_2^{-1}}, \overline{G_1} \overline{G_2^{-1}}\}, \max\{\underline{G_1} \underline{G_2^{-1}}, \underline{G_1} \overline{G_2^{-1}}, \overline{G_1} \underline{G_2^{-1}}, \overline{G_1} \overline{G_2^{-1}}\}] \end{aligned} \quad (7)$$

$$\frac{\otimes G_1}{a} = [\frac{\underline{G_1}}{a}, \frac{\overline{G_1}}{a}] \quad (8)$$

$$\frac{a}{\otimes G_1} = [\frac{a}{\underline{G_1}}, \frac{a}{\overline{G_1}}] \quad (9)$$

The possibility degree of $\otimes G_1 \leq \otimes G_2$:

$$p\{\otimes G_1 \leq \otimes G_2\} = \frac{\max(0, L^* - \max(0, \underline{G_1} - \overline{G_2}))}{L^*} \quad (10)$$

where $L^* = L(\otimes G_1) + L(\otimes G_2)$

3. Methods and Tools

The proposed approach has been applied on a strategic supplier selection problem where the suppliers are selected in accordance with the firm's strategies. To run the approach, the grey Shannon's Entropy and grey TOPSIS are employed. In this section, those two methods' algorithms are discussed.

3.1. Strategies interaction model (SIM)

Strengths, weaknesses, opportunities and threats (SWOT) analysis is a management tool to formulate strategic action plans (Amin *et al.*, 2011). As a strategic management tool, SWOT analysis has been extensively utilized for the decision-making Process (Sanito *et al.*, 2020). According to (Gao & Peng., 2011), SWOT analysis is an important decision-making support tool, and is commonly used to systematically analyze the strategic situations and identify the level of organizations from their internal and external environments. SWOT matrix analyzes the internal strengths and weaknesses as well as external opportunities and threats to derive promising future strategies (Rauch., 2007). It also prioritizes the strategies by the Quantitative Strategic Planning Matrix (QSPM) in the classic form. However, due to the flexible structure of its approach and the fact that SWOT provides only a qualitative analysis that merely prioritizes the factors' importance by measuring them quantitatively, thus, fails to address the rank of the strategies; hence, mostly, it integrates other decision-making methods such as MCDM techniques (Xu & Dong., 2019). Application and integration of MCDM methods with SWOT analysis process could be addressed in different studies such as (Anser *et al.*, 2020; Shahanipour *et al.*, 2020). The strategies derived from SWOT matrix are categorized into four groups of SO strategies where they use strengths to take advantage of opportunities, WO strategies where they overcome weaknesses by taking advantage of opportunities, ST strategies in which they use strengths to avoid threats, and WT strategies which minimize weaknesses to avoid threats (Sevкли *et al.*, 2012); likewise, these strategies are addressed as the aggressive strategies, competitive strategies, conservative strategies and the defensive strategies.

The classic form of SWOT itself and its integration with MCDM methods are suffering from a number of shortages including (Zakeri *et al.*, 2018):

1. Ignoring the strategic position ignorance in MCDM and SWOT integrated methodologies.
2. Lack of an integrated model for the selection of an organization strategies and also alternative strategies in order to the organization strategic position.
3. In spite of the shared resources for the execution of strategies, there is no framework to assess the interaction of strategies due to their budget requirement.
4. Lack of a formulated paradigm to support the assessment of the interaction of the possible unselected strategies on the the main selected strategies ranking.

To cover the aforementioned lacks through the classic SWOT analysis process, Zakeri *et al.*, (2018) proposed an approach to analyze SWOT, called strategies interaction model which is dived into two main areas: the evaluations are where the evaluation and all computation activities are executed, and the selection area in which the results are processed (see Fig 1).




Fig. 1. The Proposed methodology procedure of SIM

SIM are designed in the grey environment. According to (Zakeri *et al.*, 2018), the SIM phases are as follows:

Phase I. Analysis of internal and external factors

Phase II. Construction of SWOT matrix.

Phase II.I. Selection of the Strategies (All strategic positions)

Phase II.II. Determination of strategic position and selection of the strategies in accordance with the strategic position

Phase III. Computation of the value of interaction

Phase IV. Ranking of the selected Strategies

Phase V. Evaluation and selection of the alternative strategies

3.2. Shannon's Entropy

One of the major results of information theory is the Shannon entropy (Laurenza *et al.*, 2012; Shannon., 2001). This method has been utilized to compute the weights of the criteria in a decision-making problem. With respect to the (Sachdeva *et al.*2009), the grey entropy is in accordance with (Eq. 11;12).

$$e_{\underline{G}_j} = -\frac{1}{\ln m} \sum_{i=1}^m \underline{G}_{ij} \ln \underline{G}_{ij} \quad (11)$$

$$e_{\overline{G}_j} = -\frac{1}{\ln m} \sum_{i=1}^m \overline{G}_{ij} \ln \overline{G}_{ij} \quad (12)$$

The weight of J th criterion is computed by following (Eq.13;14):

$$w_{\underline{G}_j} = (1 - e_{\underline{G}_j}). (\sum_{j=1}^n (1 - e_{\underline{G}_j}))^{-1} \quad (14)$$

$$w_{\overline{G}_j} = (1 - e_{\overline{G}_j}). (\sum_{j=1}^n (1 - e_{\overline{G}_j}))^{-1} \quad (15)$$

3.3. Grey TOPSIS

One of the most popular MCDM technique which widely applied to solve MCDM problems is TOPSIS. Hwang and Yoon (1981) first proposed a technique for establishing order performance by referencing its similarity to the ideal solution (TOPSIS). The TOPSIS philosophy is that the selected alternative's value should have the shortest distance from the ideal solution and the farthest distance from the negative ideal solution (Dymova *et al.*, 2013). The grey TOPSIS are as following steps (Zakeri & Keramati.2015; Ikram *et al.*, 2020):

Step.3.2.1. Constructing the decision matrix.

Step.3.2.2. Establishing the normalized decision matrices with respect to the cost or benefit (Eq.16;17).

For benefit attribute of $\otimes G_{ij}^*$, the normalization is defined as following equation:

$$\otimes G_{ij}^+ = \left[\frac{G_{ij}}{G_j^{max}}, \frac{\overline{G}_{ij}}{G_j^{max}} \right] \quad (16)$$

Where $\otimes G_{ij} = [G_{ij}, \overline{G}_{ij}]$ and $\otimes G_j^{max} = \max_{1 \leq i \leq m} \{G_{ij}\}$

And for a cost attribute of $\otimes G_{ij}^*$, there is following equation:

$$\otimes G_{ij}^- = \left[\frac{G_j^{min}}{\overline{G}_{ij}}, \frac{G_j^{min}}{G_{ij}} \right] \quad (17)$$

Where $\otimes G_j^{max} = \min_{1 \leq i \leq m} \{\overline{G}_{ij}\}$

Step.3.2.3. Construction of the weighted normalized matrix.

Step.3.2.4. Calculation of (S^{max}) as the ideal alternative where (S^{max}) is a referential alternative (Eq. 18).

$$\begin{cases} S^{max} = \{G_1^{max}, G_2^{max}, G_3^{max}, \dots, G_n^{max}\}; \\ S^{max} = \left\{ \left[\max_{1 \leq i \leq m} \underline{V}_{i1}, \max_{1 \leq i \leq m} \overline{V}_{i1} \right], \dots, \left[\max_{1 \leq i \leq m} \underline{V}_{in}, \max_{1 \leq i \leq m} \overline{V}_{in} \right] \right\}; \end{cases} \quad (18)$$

Step.3.2.5. Computation of the distance between each of the alternatives' sequences (Eq.19).

$$d = \Delta_{\otimes G_1 - \otimes G_2} = (\underline{G}_1 - \underline{G}_2) + (\overline{G}_1 - \overline{G}_2) \quad (19)$$

Where Δ is the distance d between two grey numbers of $\otimes G_1$ and $\otimes G_2$.

Step.3.2.6. Determination of the grey relation coefficient between each of the alternatives (Eq. 20).

$$\gamma_{oi} = \gamma(x_o(j), x_i(j)) = \frac{\min_j \min_i d_{ij} + \xi \max_j \max_i d_{ij}}{d_{ij} + \xi \max_j \max_i d_{ij}} \quad (20)$$

Step.3.2.7. Computing the grade of grey relation of each alternative to the ideal solution in accordance with the following equation (Eq.21):

$$C_i = \left(1 - \frac{1}{n} \cdot \sum_{j=1}^n \gamma_{ij}\right) \quad i = 0, 1, \dots, m \quad (21)$$

Step.3.2.8. The final step is the prioritization of the alternatives according to the higher score of C_i .

4. Proposed Methodology

In this chapter, to address the proposed approach, a computation of interaction between a firm's strategies and its supplier selection problem is presented in order to have a supplier selection in line with the firm's strategies. Various studies have employed SWOT analysis for the supplier selection (*see Vahidi et al., 2018; Arabzad et al., 2015*), while, none of them did not exercised SWOT analysis for the specific reason of alignment of the supplier selection with the firm's strategies. The implementation of the proposed approach is designed in four steps including:

Step 1. Selecting the firm's strategies through the grey strategies' interaction model (G-SIM).

Step 2. Evaluation of the criteria. The main purpose of this section is calculating of (λ) . Indeed, (λ) is the proposed method's key element. In this step, the strategies derived from the first section are playing the role of the criteria and the main criteria of supplier selection are the alternatives in a decision matrix.

Step 3. Prioritization of criteria is based on relation matrix. In this step, the (λ) is determined by the normalized performance of each criteria ranking. The strategies directly impact on supplier selection by (λ) .

Step 4. The final section is selection of the best supplier.

The proposed method's steps are illustrated in (Fig 2).






Fig 2. the Proposed Method's Chart

5. Method Application and Results

In this section, the proposed model is represented as a numerical example. This section is separated into three main parts including: 1. selection of the strategies; 2. Evaluation of Criteria: Prioritization of Criteria based on the Selected Strategies; 3. Supplier selection.

5.1. Selection of Strategies SIM

SWOT analysis of a firm is illustrated (Fig 3). Selected strategies have been carried out by implementation of SIM. In the following figure SO, ST, WO, WT stand for the aggressive, competitive, conservative, and defensive strategies.




Fig 3. SIM structure of SWOT analysis for ranking and selection of the strategies

According to the the scores, S₁O₁, S₂O₁, S₁T_{1,2}, W₁O₂, W₂T₃ are selected as the best strategies. These strategies are shown as the ST₁, ST₂, ST₃, ST₄, and ST₅ in next steps of the proposed method application.

Step.5.2. Evaluation of Criteria: Prioritization of Criteria due to the Selected Strategies

In this section, the criteria for the supplier selection are prioritized in accordance with the selected strategies derived from the previous section. To rank the criteria, the relation matrix has been utilized. In the relation matrix, the interaction of the variables is investigated through computation of their relationship. With respect to the relation matrix, the degree of the relationship between alternatives and criteria are evaluated by the linguistic variables. In this step, the prioritization process is performed by the GTOPSIS algorithm. The grey linguistic variables are presented in (Table.2):

Table 2

The grey attributes scale of rating of $\otimes G$

Scale	Gray
VP	[0, 1]
P	[1, 3]
MP	[3, 4]
F	[4, 5]
MG	[5, 6]
G	[6, 9]
VG	[9, 10]

The following tables (Table. 3,4) demonstrate the relation matrix, where the supplier evaluation criteria are the alternatives, and the selected strategies are the criteria.

Table 3

The relation matrix between selected strategies and supplier selection criteria with linguistic variables

	ST_1	ST_2	ST_3	ST_4	ST_5
C_1	F	P	G	MG	MP
C_2	MG	P	VG	G	F
C_3	MG	MP	VG	F	MP
C_4	F	F	G	F	P
C_5	G	P	F	MG	G

Table 4

The relation matrix between selected strategies and supplier selection criteria

	ST_1	ST_2	ST_3	ST_4	ST_5
C_1	[4,5]	[1,3]	[6,9]	[5,6]	[3,4]
C_2	[5,6]	[1,3]	[9,10]	[6,9]	[4,5]
C_3	[5,6]	[3,4]	[9,10]	[4,5]	[3,4]
C_4	[4,5]	[4,5]	[6,9]	[4,5]	[1,3]
C_5	[6,9]	[1,3]	[4,5]	[5,6]	[6,9]

With respect to the (Eq.11-14), in most grey-based MCDM problems, for objective calculation of the weights of criteria, the grey entropy is employed. In this chapter, a novel form of grey entropy algorithm is designed to transform the grey numbers to white numbers (Eq. 31-34); Indeed, the new algorithm is in line with the grey entropy which proposed by (Sachdeva *et al.*, 2009) with respect to the (Eq.11-14).

if

$$\Gamma \geq (\underline{G}_{ij} + \bar{G}_{ij}) \quad (22)$$

And

$$\Phi \geq (\underline{G}_{ij} - \bar{G}_{ij}) \quad (23)$$

Then:

$$e_{\otimes G_j} \geq \left[\sum_{i=1}^m \left((\sum_{i=1}^m ((\Phi^2) \ln(\Phi^2))^2)^{\frac{1}{4}} \cdot \left((\sum_{i=1}^m ((\Gamma^2) \ln(\Gamma^2))^2)^{\frac{1}{4}} \right)^{-1} \right) \right] (\ln m)^{-1} \quad (24)$$

$$w_{\otimes G_j} \geq \left(\sum_{j=1}^n (1 - e_{\otimes G_j}) \right)^{-1} \cdot (1 - e_{\otimes G_j}) \quad (25)$$

The first step of Entropy is the normalization of the decision matrix. The normalization process is as (Eq. 26-27):

If $\otimes P = [\underline{P}_{ij}, \bar{P}_{ij}]$ stands for a normalized grey number of $\otimes G = [\underline{G}_{ij}, \bar{G}_{ij}]$ in a decision matrix, therefore

$$\underline{P}_{ij} = \left((\sum_{i=1}^m (\underline{G}_{ij})^2)^{\frac{1}{2}} \right)^{-1} \cdot \underline{G}_{ij} \quad (26)$$

$$\bar{P}_{ij} = \left((\sum_{i=1}^m (\bar{G}_{ij})^2)^{\frac{1}{2}} \right)^{-1} \cdot \bar{G}_{ij} \quad (27)$$

With the following the transportation of grey numbers to white numbers, introduced in (Eq. 22,23), another transportation of the normalization process is proposed in this chapter which can be found in (Eq. 28), where (P) is a crisp number and white number of $\otimes G = [\underline{G}_{ij}, \bar{G}_{ij}]$. Yet, the proposed framework of this chapter deals with the original normalization processes in accordance with (Eq. 26,27).

$$P \geq \left(\prod_{i=1}^m (\sum_{i=1}^m \underline{G}_{ij} + \bar{G}_{ij}) \right)^{-1} \cdot (\underline{G}_{ij} + \bar{G}_{ij}) \quad (28)$$

According to the (Eq. 26,27), the normalized decision matrix is displayed in (Table 5):

Table 5

The normalized relation matrix

	ST_1	ST_2	ST_3	ST_4	ST_5
C_1	[0.368,0.351]	[0.189,0.364]	[0.379,0.457]	[0.460,0.421]	[0.356,0.330]
C_2	[0.460,0.421]	[0.189,0.364]	[0.569,0.508]	[0.552,0.631]	[0.474,0.412]
C_3	[0.460,0.421]	[0.562,0.485]	[0.569,0.508]	[0.368,0.351]	[0.356,0.330]
C_4	[0.368,0.351]	[0.756,0.606]	[0.379,0.457]	[0.368,0.351]	[0.118,0.247]
C_5	[0.552,0.631]	[0.189,0.364]	[0.253,0.254]	[0.460,0.421]	[0.712,0.742]

Weights of each selected strategies in the relation matrix can be found in (Table 6):

Table 6

Entropy and weight of each strategies

	ST_1		ST_2		ST_3		ST_4		ST_5	
e_j	1.111	1.089	0.919	1.092	1.071	1.088	1.105	1.089	0.983	1.034
e'_j	0.50005		0.5037		0.50003		0.50002		0.50031	

d_j	0.49995	0.4963	0.49997	0.49998	0.49969
w_j	0.20030	0.1988	0.20031	0.20032	0.20020

For calculation of the (e'_j) , the process followed (Eq. 29). As pictured in (Table 6), there are some anomalies for the normalized interval of each strategies; in other words, in some intervals, lower bound is larger than upper bound. To overcome this problem, for the calculation of the weight of each strategy, we have proposed following equation (Eq. 29).

If $e_j = [\underline{G}, \overline{G}]$ then:

$$e'_j = ((\underline{G} + \overline{G})^2)^{-1} \cdot (\underline{G}^2 + \overline{G}^2) \quad (29)$$

In this chapter, to rank the criteria of supplier selection, we have used the transformation methodology proposed by (Zakeri *et al.*, 2018). The method is developed from the weighted product model (WPM)'s procedure. The proposed methodology could be found in (Eq. 30-32), where $\otimes G = [\underline{G}_{ij}, \overline{G}_{ij}]$ and $\otimes G' = [\underline{G}'_{ij}, \overline{G}'_{ij}]$:

$$\underline{G}'_{ij} = (\sum_{i=1}^m \underline{G}_{ij})^{-1} \cdot \underline{G}_{ij} \quad (30)$$

$$\overline{G}'_{ij} = (\sum_{i=1}^m \overline{G}_{ij})^{-1} \cdot \overline{G}_{ij} \quad (31)$$

$$P(G'_m) = \prod_{j=1}^n (\underline{G}_{ij} + \overline{G}_{ij})^{w_j} \quad (32)$$

The prioritization is based on the larger value of $P(G'_m)$, thus, with respect to the (Eq. 30-32), the normalized matrix is shown in (Table 7).

Table 7

The normalized relation matrix

	0.20030	0.1988	0.20031	0.20032	0.20020
w_j	ST_1	ST_2	ST_3	ST_4	ST_5
C_1	[0.166,0.161]	[0.100,0.166]	[0.176,0.209]	[0.208,0.193]	[0.176,0.160]
C_2	[0.208,0.193]	[0.100,0.166]	[0.264,0.232]	[0.250,0.290]	[0.235,0.200]
C_3	[0.208,0.193]	[0.300,0.222]	[0.264,0.232]	[0.166,0.161]	[0.176,0.160]
C_4	[0.166,0.161]	[0.400,0.277]	[0.176,0.209]	[0.166,0.161]	[0.588,0.120]
C_5	[0.250,0.290]	[0.100,0.166]	[0.117,0.116]	[0.208,0.193]	[0.353,0.360]

Therefore, according to the (Eq. 32), the larger value of $P(G'_m)$ possesses the best rank:

$$P(G'_1) = 4.0304803878022140410191260588243$$

$$P(G'_2) = 4.2006219001599303350681892865139$$

$$P(G'_3) = 4.1836985480191150780837110210309$$

$$P(G'_4) = 4.2833361779410137110629886275380$$

$$P(G'_5) = 4.1665975424376581947939114823975$$

Hence, the ranking is as follows:

$$C_4 > C_2 > C_3 > C_5 > C_1$$

A mentioned heretofore, the next step of the proposed methodology is calculation of (λ) . To calculate (λ) , the number of each criteria ranking will be normalized by the normalized performance method. In this chapter, (Eq. 33,34) are employed to compute (λ) .

$$\lambda'_m = 1 - (R_m \cdot (\sum_m^1 R_m)^{-1})$$

(33)

$$\lambda_m = \lambda'_m \cdot (\sum_m^1 \lambda'_m)^{-1} \quad (34)$$

Where (R_m) is the ranking of mth alternative, therefore, (λ) of each criteria is:

Table 8

Value of (λ) for each criteria

	C_1	C_2	C_3	C_4	C_5
λ'_m	0.666	0.866	0.8	0.933	0.733
λ_m	0.1665	0.2165	0.2	0.23325	0.18325

Step.5.3. Supplier selection

The final step of the proposed approach is the selection of the best supplier. In this chapter, Grey-TOPSIS is utilized for the supplier selection procedure. The classic Grey TOPSIS algorithm is as follow as the (Eq.15-21), while, in this chapter, we have proposed a novel algorithm for Grey-TOPSIS.

Following steps and equations express the new process of Grey-TOPSIS algorithm:

Step.5.3.1. Construction of Normalized decision matrix.

$$N_D = [N_{\underline{G}_{ij}}, N_{\overline{G}_{ij}}] \quad (35)$$

$$N_D = \begin{cases} N_{\underline{G}_{ij}} = (\sum_{i=1}^m \underline{G}_{ij})^{-1} \cdot \underline{G}_{ij} \\ N_{\overline{G}_{ij}} = (\sum_{i=1}^m \overline{G}_{ij})^{-1} \cdot \overline{G}_{ij} \end{cases}$$

(36)

Where D denotes the decision matrix and N_D stands for the normalized decision matrix of D .

Step.5.3.1. Establishing weighted Normalized decision matrix.

$$V = W \times N_D \quad (37)$$

Where V states weighted normalized matrix.

Step.5.3.2. Calculation of positive and negative ideal solution.

$$S^{max} = \{G_1^{max}, G_2^{max}, G_3^{max}, \dots, G_n^{max}\}; \quad (38)$$

$$S^{max} = \left\{ \left[\max_{1 \leq i \leq m} \underline{V}_{i1}, \max_{1 \leq i \leq m} \overline{V}_{i1} \right], \dots, \left[\max_{1 \leq i \leq m} \underline{V}_{in}, \max_{1 \leq i \leq m} \overline{V}_{in} \right] \right\}; \quad (39)$$

$$S^{min} = \{G_1^{min}, G_2^{min}, G_3^{min}, \dots, G_n^{min}\}; \quad (40)$$

$$S^{min} = \left\{ \left[\min_{1 \leq i \leq m} \underline{V}_{i1}, \min_{1 \leq i \leq m} \overline{V}_{i1} \right], \dots, \left[\min_{1 \leq i \leq m} \underline{V}_{in}, \min_{1 \leq i \leq m} \overline{V}_{in} \right] \right\}; \quad (41)$$

To calculate S^{max} and S^{min} , we have proposed following equation.

$$\omega_{ij} = (\underline{G}_{ij} + \overline{G}_{ij})^{W_j} \quad (42)$$

Larger value of (ω_{ij}) is S^{max} and the smaller value is S^{min} .

Step.5.3.3. Prioritization of Alternatives.

$$\gamma_i = \left(\xi \cdot (\sum_{j=1}^n (V_{ij} - V_{ij}^-)^2)^{0.5} \right) \cdot \left(\left(\xi \cdot (\sum_{j=1}^n (V_{ij} - V_{ij}^-)^2)^{0.5} \right) + (\sum_{j=1}^n (V_{ij} - V_{ij}^-)^2)^{0.5} \right)^{-1}$$

(43)

Where γ_i is larger, the ranking order of alternative is better. Otherwise, the ranking order is worse. To implement the proposed developed Grey-TOPSIS algorithm, first, the decision matrix needs to be normalized. The decision matrix has been expressed in (Table. 9,10) in which $C_j = \{C_1, \dots, C_5\}$ is the set of criteria.

Table 9

Supplier selection decision making matrix with the attributes scale of rating

	C_1	C_2	C_3	C_4	C_5
A_1	MG	MP	F	P	MG
A_2	F	G	F	F	F
A_3	VG	F	VG	MP	MP
A_4	G	P	G	MG	P

Table 10

Supplier selection decision making matrix

	C_1	C_2	C_3	C_4	C_5
A_1	[5, 6]	[3, 4]	[4, 5]	[1, 3]	[5, 6]
A_1	[4, 5]	[6, 9]	[4, 5]	[4, 5]	[4, 5]
A_1	[9, 10]	[4, 5]	[9, 10]	[3, 4]	[3, 4]
A_1	[6, 9]	[1, 3]	[6, 9]	[5, 6]	[1, 3]

Next step is the normalization of the decision matrix with respect to the (Eq. 35,36). The normalized decision matrix is demonstrated in (Table 11).

Table 11

The normalized supplier selection decision matrix

	C_1	C_2	C_3	C_4	C_5
A_1	[0.208,0.200]	[0.214,0.190]	[0.174,0.172]	[0.077,0.166]	[0.384,0.333]
A_2	[0.166,0.166]	[0.428,0.428]	[0.174,0.172]	[0.308,0.222]	[0.308,0.277]
A_3	[0.375,0.333]	[0.286,0.238]	[0.391,0.345]	[0.231,0.222]	[0.231,0.222]
A_4	[0.250,0.300]	[0.071,0.142]	[0.261,0.310]	[0.384,0.333]	[0.077,0.166]

To calculate the weighted normalized decision matrix, weight of each criterion needs to be computed. Indeed, the key of the proposed approach appears in this step. For the computation of the weights of criteria, we utilized Entropy in accordance with (Eq. 11-14), while, to calculate the impact of (λ), the chapter deals with the following equations:

$$w_{\underline{G}_j} = \lambda_n \left(1 - \left(-\frac{1}{\ln m} \sum_{i=1}^m \underline{G}_{ij} \ln \underline{G}_{ij} \right) \right) \left(\sum_{j=1}^n \lambda_n \left(-\frac{1}{\ln m} \sum_{i=1}^m \underline{G}_{ij} \ln \underline{G}_{ij} \right) \right) \quad (44)$$

$$w_{\overline{G}_j} = \lambda_n \left(1 - \left(-\frac{1}{\ln m} \sum_{i=1}^m \overline{G}_{ij} \ln \overline{G}_{ij} \right) \right) \left(\sum_{j=1}^n \lambda_n \left(-\frac{1}{\ln m} \sum_{i=1}^m \overline{G}_{ij} \ln \overline{G}_{ij} \right) \right) \quad (45)$$

As the interaction between supplier selection criteria and the selected strategies, (λ) impact on the suppliers' prioritization. In real world problems, there are other elements which impact on supplier prioritization and increase

complexity of selection. In this chapter, we also have added DM's decision as the weight of criteria other than weights which derived from Entropy's equations and (λ) . To apply DM's decision, the chapter deals with another proposed equations as follows:

$$W'_{\underline{G}_j} = (w_{\underline{G}_j} \cdot w_{\underline{G}_{j_{DM}}}) \cdot (\sum_{j=1}^n w_{\underline{G}_j} \cdot w_{\underline{G}_{j_{DM}}})^{-1} \quad (46)$$

$$W'_{\bar{G}_j} = (w_{\bar{G}_j} \cdot w_{\bar{G}_{j_{DM}}}) \cdot (\sum_{j=1}^n w_{\bar{G}_j} \cdot w_{\bar{G}_{j_{DM}}})^{-1} \quad (47)$$

where, as DM's decision, $\otimes w_{G_{j_{DM}}} = [w_{\underline{G}_{j_{DM}}}, w_{\bar{G}_{j_{DM}}}]$ is a grey numerical interval number. However, if DM's decision is a crisp number, the process needs to follow the application of (Eq. 48, 49). In this equation, (Eq. 6) procedure is also exercised.

$$W'_{\underline{G}_j} = (w_{\underline{G}_j} \cdot w_{DM}) \cdot (\sum_{j=1}^n w_{\underline{G}_j} \cdot w_{DM})^{-1} \quad (48)$$

$$W'_{\bar{G}_j} = (w_{\bar{G}_j} \cdot w_{DM}) \cdot (\sum_{j=1}^n w_{\bar{G}_j} \cdot w_{DM})^{-1} \quad (49)$$

The weights (by DM's decision), (λ) , derived weights from Entropy algorithm, and the final weights has been exposed in (Table. 12) where DM's decision decisions are in the form of the grey numbers and calculation of e_j is in accordance on (Eq. 29).

Table 12

Normalized supplier selection decision matrix and weights of criteria

λ_j	0.1665	0.2165	0.2	0.23325	0.18325
e_j	0.500001	0.511	0.500006	0.5001	0.5005
d_j	0.499999	0.489	0.499994	0.4999	0.4995
$W_{\otimes G_j}$	0.1674	0.2129	0.2011	0.2345	0.1841
W_{DM}	[0.15,0.15]	[0.25,0.25]	[0.30,0.30]	[0.175,0.175]	[0.125,0.125]
$W'_{\otimes w_{G_{j_{DM}}}}$	[0.1238,0.1238]	[0.2625,0.2625]	[0.2976,0.2976]	[0.2024,0.2024]	[0.1135, 0.1135]
	C_1	C_2	C_3	C_4	C_5
A_1	[0.208,0.200]	[0.214,0.190]	[0.174,0.172]	[0.077,0.166]	[0.384,0.333]
A_2	[0.166,0.166]	[0.428,0.428]	[0.174,0.172]	[0.308,0.222]	[0.308,0.277]
A_3	[0.375,0.333]	[0.286,0.238]	[0.391,0.345]	[0.231,0.222]	[0.231,0.222]
A_4	[0.250,0.300]	[0.071,0.142]	[0.261,0.310]	[0.384,0.333]	[0.077,0.166]

The weighted normalized matrix with respect to the (Eq. 37) is displayed in (Table 13).

Table 13

the weighted normalized matrix

	C_1	C_2	C_3	C_4	C_5
A_1	[0.0257,0.0247]	[0.0561,0.0498]	[0.0516,0.0512]	[0.0155,0.0336]	[0.0436,0.0378]
A_2	[0.0205,0.0205]	[0.1123, 0.1123]	[0.0516,0.0512]	[0.0623,0.0449]	[0.0349,0.0314]
A_3	[0.0464,0.0412]	[0.0751, 0.0624]	[0.1163,0.1027]	[0.0467,0.0449]	[0.0262,0.0252]
A_4	[0.0309, 0.0371]	[0.0179,0.0358]	[0.0777,0.0922]	[0.0777,0.0674]	[0.0087,0.0188]

In this paper, to find positive and negative ideal solutions (Eq. 38-42), we proposed a methodology to calculate the (GUV) of each interval where (δ) stands for GUV. The larger value of (δ) in each column of decision matrix is the (S^{max}), otherwise it is (S^{min}). Following algorithm shows the steps of the computation of (δ).

Step.5.4.1. first step of the algorithm is making a cloud of number for each number in decision matrix. The cloud includes the set of (α_n) where $\alpha_n = \{1, 2, \dots, 9\}$. The elements are the set of numbers which are closest to the zero in the weighted decision matrix.

Step.5.4.2. making another cloud of another set of (α_n), which includes ($\alpha'_1, \alpha'_2, \dots, \alpha'_n$). In this proposed methodology, it is assumed that two clouds by default (at least), but, if it is more than two zero in the first numbers, creating the clouds will continues to the first number. For instance, in (0.0027) there are three clouds while in (0.00027) there are four clouds, yet, for (0.0273) and (0.2734) there are two clouds.

Step.5.4.3. Calculating distance between the elements of each cloud with lower and upper bound with respect to the (Eq. 50-53).

$$\underline{\ell} = (\sum_{j=1}^n (\underline{G}_{ij} - \alpha_n)^2)^{0.5}, \quad n = 1, 2, \dots, 9; \quad (50)$$

$$\bar{\ell} = (\sum_{j=1}^n (\bar{G}_{ij} - \alpha_n)^2)^{0.5}, \quad n = 1, 2, \dots, 9; \quad (51)$$

$$\underline{\ell}' = (\sum_{j=1}^n (\underline{G}_{ij} - \alpha'_n)^2)^{0.25}, \quad n = 1, 2, \dots, 9; \quad (52)$$

$$\bar{\ell}' = (\sum_{j=1}^n (\bar{G}_{ij} - \alpha'_n)^2)^{0.25}, \quad n = 1, 2, \dots, 9; \quad (53)$$

Distance between cloud's elements and two bounds of $\otimes G$ is exhibited in (Fig 4).




Fig 4. the number clouds around the upper and lower bound of $\otimes G$

Step.5.4.3. The final step is the computation of GUV in accordance with (Eq. 54):

$$q = \left(\left(\left(\underline{\ell} + \bar{\ell} \right) + \left(\underline{\ell} + \bar{\ell} \right) \right) \left(\left(\underline{\otimes} G_{ij} - \underline{\otimes} \bar{G}_{ij} \right)^2 \right)^{0.5} \right) \cdot \left(\underline{\otimes} G_{ij} - \underline{\otimes} \bar{G}_{ij} \right)^{-1} \left(\underline{\otimes} G_{ij}^2 + \underline{\otimes} \bar{G}_{ij}^2 \right) \quad (54)$$

Hence, the S^{max} and S^{min} have been defined in in (Table 14).

Table 14

The positive and negative ideal solutions

	C_1	C_2	C_3	C_4	C_5
S^{min}	[0.0464,0.0412]	[0.1123, 0.1123]	[0.0516,0.0512]	[0.0155,0.0336]	[0.0436,0.0378]
S^{max}	[0.0205,0.0205]	[0.0179,0.0358]	[0.1163,0.1027]	[0.0777,0.0674]	[0.0087,0.0188]

The final section is to prioritize suppliers by (Eq. 52). To compute the (V_{ij}) , we have proposed in simple equation:

$$V_{ij} = \xi \cdot (\underline{\otimes} G_{ij} + \underline{\otimes} \bar{G}_{ij}) \quad (55)$$

Where (ξ) is the coefficient of uncertainty/probability in which in this chapter, $(\xi=0.05)$; the results of the (Eq. 55) is exposed in (Table 15).

Table 15

V_{ij} in accordance with (Eq. 55)

	C_1	C_2	C_3	C_4	C_5
A_1	0.00252	0.005295	0.00514	0.002455	0.00407
A_2	0.00205	0.01123	0.00514	0.00536	0.003315
A_3	0.00438	0.006875	0.01095	0.00483	0.00257
A_4	0.0034	0.002685	0.008495	0.007255	0.001375

With respect to the (Eq.43) and (Table. 14,15) the prioritization is:

$$\gamma_i = \begin{cases} \gamma_1 = 0.2078 \\ \gamma_2 = 0.7785 \\ \gamma_3 = 0.4135 \\ \gamma_4 = 0.3642 \end{cases}$$

then

$$A_2 > A_3 > A_4 > A_1$$

Hence (A_2) is selected as the best supplier. In the next section of this chapter, the difference between the original G-TOPSIS and the proposed algorithm is investigated. Furthermore, the impact of strategies on the supplier selection is showed.

6. Comparison

In this section, two parts of the paper are investigated. First, we implemented the original G-TOPSIS algorithm on the data and compared it with the proposed novel algorithm. According to the Grey original TOPSIS procedure (Eq. 15-20), following tables carries the information of each steps:

Table 16

Supplier selection decision making matrix

	C_1	C_2	C_3	C_4	C_5
--	-------	-------	-------	-------	-------

A_1	[5, 6]	[3, 4]	[4, 5]	[1, 3]	[5, 6]
A_2	[4, 5]	[6, 9]	[4, 5]	[4, 5]	[4, 5]
A_3	[9, 10]	[4, 5]	[9, 10]	[3, 4]	[3, 4]
A_4	[6, 9]	[1, 3]	[6, 9]	[5, 6]	[1, 3]

Table 17

The normalized decision-making matrix

	C_1	C_2	C_3	C_4	C_5
A_1	[0.555,0.6]	[0.5,0.444]	[0.444,0.5]	[0.2,0.5]	[1,1]
A_2	[0.444,0.5]	[1,1]	[0.444,0.5]	[0.8,0.833]	[0.8,0.833]
A_3	[1,1]	[0.666,0.555]	[1,1]	[0.6,0.666]	[0.6,0.666]
A_4	[0.666,0.9]	[0.166,0.333]	[0.666,0.9]	[1,1]	[0.2,0.5]

Table 18

The weighted normalized decision-making matrix

	C_1	C_2	C_3	C_4	C_5
A_1	[0.069,0.074]	[0.131,0.116]	[0.132,0.149]	[0.040,0.101]	[0.114,0.114]
A_2	[0.055,0.062]	[0.262,0.262]	[0.132,0.149]	[0.162,0.169]	[0.091,0.095]
A_3	[0.124,0.124]	[0.175,0.145]	[0.297,0.297]	[0.121,0.135]	[0.068,0.076]
A_4	[0.082,0.111]	[0.043,0.087]	[0.198,0.268]	[0.202,0.202]	[0.023,0.057]

Next step is the Calculation of (S^{max}) as the ideal alternative:

$$S^{max} = \{[0.124,0.124], [0.262,0.262], [0.297,0.297], [0.202,0.202], [0.114,0.114]\}$$

According to (Eq. 19), the distance between each alternative sequence needs to be computed; then:

Table 19

The distance between alternatives sequences

	C_1	C_2	C_3	C_4	C_5	$\min_j \Delta_i(j)$	C_1
$d_1(j)$	0.105	0.277	0.313	0.263	0	0	0.313
$d_2(j)$	0.131	0	0.313	0.073	0.042	0	0.313
$d_3(j)$	0	0.204	0	0.148	0.084	0	0.204
$d_4(j)$	0.055	0.394	0.128	0	0.148	0	0.394
$\min_i \min_j \Delta_i(j)$	0						
$\max_i \max_j \Delta_i(j)$	0.394						

With respect to the (Eq.20), if ($\xi=0.05$), then, the grey relation coefficient between each of the alternatives computed as:

$$\gamma_i = \begin{cases} \gamma_1 = 0.02015 \\ \gamma_2 = 0.0340 \\ \gamma_3 = 0.04320 \\ \gamma_4 = 0.02640 \end{cases}$$

then

$$A_3 > A_2 > A_4 > A_1$$

By comparison of two obtained results, the difference between rank of each alternatives has been illustrated in (Fig 5):




Fig 5. The comparison between rankings of each alternatives from the proposed and original method

As it has been illustrated in (Fig 5), the ranks of the supplier number one and the supplier number two are equal in the two methodologies, however, the supplier number 2 possesses the 1st ranking in the proposed novel grey TOPSIS method and stood on the second place in the original methodology of Grey-TOPSIS. There is a same story for supplier number three; it possesses 1st rank in the proposed methodology and second place in the original method, while, both methodologies take the impact of (λ_j) into account.

The most important part of this section is the comparison between supplier selection with the impact of the selected strategies, which derived from SWOT matrix by SIM method, and the selection of the alternatives without the impact of the firm's strategies. As mentioned before, in order to select the best supplier in accordance with the organization's strategies, first (λ_j) ought to be computed. In this section, we have investigated the difference between selected suppliers with the impact of (λ_j) as the value of interaction which shows the effects of the selected strategies and the evaluation of the suppliers from supplier selection procedure without the impact of the selected strategies. The supplier evaluation/selection process without taking the (λ_j) impact into account through the novel Grey-TOPSIS algorithm is as following tables.

With respect to the (Table. 21-24). The normalized decision matrix is demonstrated in (Table.21):

Table 21

The normalized supplier selection decision matrix

$W_{\otimes G_j}$	0.200932	0.196	0.20093	0.2009	0.2007
W_{DM}	[0.15,0.15]	[0.25,0.25]	[0.30,0.30]	[0.175,0.175]	[0.125,0.125]
$\otimes W_{\otimes G_j}$	[0.151,0.151]	[0.245,0.245]	[0.302,0.302]	[0.176,0.176]	[0.126,0.126]
	C_1	C_2	C_3	C_4	C_5
A_1	[0.208,0.200]	[0.214,0.190]	[0.174,0.172]	[0.077,0.166]	[0.384,0.333]
A_2	[0.166,0.166]	[0.428,0.428]	[0.174,0.172]	[0.308,0.222]	[0.308,0.277]
A_3	[0.375,0.333]	[0.286,0.238]	[0.391,0.345]	[0.231,0.222]	[0.231,0.222]
A_4	[0.250,0.300]	[0.071,0.142]	[0.261,0.310]	[0.384,0.333]	[0.077,0.166]

Table 22

The weighted normalized decision matrix

	C_1	C_2	C_3	C_4	C_5
A_1	[0.031,0.030]	[0.052,0.047]	[0.053,0.052]	[0.014,0.029]	[0.048,0.042]
A_2	[0.025,0.025]	[0.105,0.105]	[0.053,0.052]	[0.054,0.039]	[0.039,0.035]
A_3	[0.057,0.050]	[0.070,0.058]	[0.118,0.104]	[0.041,0.039]	[0.029,0.028]
A_4	[0.038,0.045]	[0.017,0.035]	[0.079,0.094]	[0.068,0.059]	[0.010,0.021]

Table 23

The positive and negative solutions

	C_1	C_2	C_3	C_4	C_5
S^{min}	[0.057,0.050]	[0.105,0.105]	[0.118,0.104]	[0.068,0.059]	[0.048,0.042]
S^{max}	[0.025,0.025]	[0.017,0.035]	[0.053,0.052]	[0.014,0.029]	[0.010,0.021]

Table 24

(V_{ij}) where $(\xi = 0.05)$

	C_1	C_2	C_3	C_4	C_5
A_1	0.0031	0.0033	0.005225	0.0021	0.0045
A_2	0.0025	0.0065	0.005225	0.0047	0.0037
A_3	0.0053	0.0044	0.011114	0.0040	0.0029
A_4	0.0042	0.0011	0.008622	0.0063	0.0015

Therefore, according to the (Eq. 43), the prioritization of the suppliers is as follows:

$$\gamma_i = \begin{cases} \gamma_1 = 0.3051 \\ \gamma_2 = 0.0570 \\ \gamma_3 = 0.6847 \\ \gamma_4 = 0.4553 \end{cases}$$

then

$$A_3 > A_4 > A_1 > A_2$$

To investigate the impact of strategies on the supplier selection, the comparative analysis of the suppliers evaluation considering the impact of the selected strategies is illustrated in (Fig 6).




Fig 6. suppliers evaluation with the impact of the selected strategies (the orange lines) and without their impact (the blue lines)

As illustrated in the above, there is a deep difference between rankings due to the impact of the firm's strategies. According to the results, in the process without the consideration of the strategies, supplier number 3 stood on the first place, while, it possessed the second rank on in the proposed method. The most alteration is happened to the supplier number 2, which possesses first rank in the proposed approach affected by the firm's strategies, while, stood on the last place in the process without taking the firm's strategies into account. It indicates in what extend the strategies could impact the firm's internal decisions, in this case, supplier evaluation.

7. Conclusion

In this chapter, a new mathematical approach is proposed to compute the relation and interaction between two groups of irrelevance variables of decision matrices in decision-making problems using MCDM methods. To show the process of the novel approach, it is implemented on an MCDM problem, strategic supplier evaluation problem. In real-world problems, with emerge of intensive undulations in environmental variables, decision-makers constantly encounter uncertainty. In the approach, we have benefited from the grey systems theory to deal with the uncertainty generated through the decision-making process.

In the paper, to architect the structures of irrelevance variables in decision matrices, the effect of a firm's strategies have been investigated on the evaluation and selection of the best supplier. The novel approach deals with grey form of TOPSIS and grey Entropy. To convey the effect of strategies on the suppliers evaluation, a relation matrix is used to compose the interaction between firm's strategies and the suppliers evaluation criteria. The output of the matrix used in the weighting process of those criteria in another MCDM matrix to evaluate the suppliers and select the best one. Indeed, the approach is constituted on a relation matrix between output of one matrix, in our case, the selected strategies through SWOT analysis by SIM, and criteria of another decision-making matrix which is suppliers evaluation in our case. To carry the approach, Shannon's Entropy played the main role which could potentially changes for other problems. Furthermore, in this paper, we have proposed new form of Grey-TOPSIS and some transformation methods for the transforming of the grey numbers to white numbers.

In this chapter, new algorithms have been proposed, therefore, we suggest these topics for further research:

1. Application of the proposed grey entropy for objective weighting in other grey-based MCDM problems.
2. In this paper, we used many new transformation equations in each step of the proposed methodology. Researchers can develop those equations with new ideas.
3. One of the most important concepts that have been proposed in this research is the grey uncertainty value (GUV). It is a numerical platform for the comparison of grey numbers. Another exciting suggestion for future work could be the expansion of the GUV.
4. In this paper, to analyze the SWOT matrix, the grey SIM is utilized in the grey environment. To handle the uncertainty of the SWOT analysis, developing the method in fuzzy form is another interesting suggestion.

References

1. Abdel-Baset, M., Chang, V., Gamal, A., & Smarandache, F. (2019). An integrated neutrosophic ANP and VIKOR method for achieving sustainable supplier selection: A case study in importing field. *Computers in Industry*, 106, 94-110.
2. Abdel-Basset, M., Mohamed, M., & Smarandache, F. (2018). A hybrid neutrosophic group ANP-TOPSIS framework for supplier selection problems. *Symmetry*, 10(6), 226.
3. Amin, S.H., Razmi, J. and Zhang, G., 2011. Supplier selection and order allocation based on fuzzy SWOT analysis and fuzzy linear programming. *Expert Systems with Applications*, 38(1), pp.334-342.
4. Anser, M. K., Mohsin, M., Abbas, Q., & Chaudhry, I. S. (2020). Assessing the integration of solar power projects: SWOT-based AHP-F-TOPSIS case study of Turkey. *Environmental Science and Pollution Research*, 1-13.
5. Arabzad, S. M., Ghorbani, M., Razmi, J., & Shirouyehzad, H. (2015). Employing fuzzy TOPSIS and SWOT for supplier selection and order allocation problem. *The International Journal of Advanced Manufacturing Technology*, 76(5-8), 803-818.
6. Badulescu, Y., & Cheikhrouhou, N. (2018). Evaluation of forecasting approaches using hybrid multi-criteria decision-making models. In *Proceedings of International Conference on Time Series and Forecasting (ITISE 2018) (No. CONFERENCE)*. 19-21 September 2018.
7. Chai, J., Liu, J.N. and Ngai, E.W., 2013. Application of decision-making techniques in supplier selection: A systematic review of literature. *Expert Systems with Applications*, 40(10), pp.3872-3885.
8. Chang, D. Y. (1992). *Extent analysis and synthetic decision optimization techniques and applications*. Singapore: World Scientific.
9. Chang, D.Y., 1996. Applications of the extent analysis method on fuzzy AHP. *European journal of operational research*, 95(3), pp.649-655.
10. Dağdeviren, M., Yüksel, İ. and Kurt, M., 2008. A fuzzy analytic network process (ANP) model to identify faulty behavior risk (FBR) in work system. *Safety Science*, 46(5), pp.771-783.
11. Darvishi, D., Forrest, J., & Liu, S. (2019). A comparative analysis of grey ranking approaches. *Grey Systems: Theory and Application*.
12. Darvishi, D., Liu, S., & Forrest, J. Y. L. (2020). Grey linear programming: a survey on solving approaches and applications. *Grey Systems: Theory and Application*.

13. Deng, J.L., 1990. A course on grey system theory. Huazhong University of Science and Technology Press, Wuhan.
14. Deng, X., Hu, Y., Deng, Y. and Mahadevan, S., 2014. Supplier selection using AHP methodology extended by D numbers. *Expert Systems with Applications*, 41(1), pp.156-167.
15. EL HIRI, M., EN-NADI, A., & CHAFI, A. (2019). Suppliers Selection in Consideration of Risks by a Neural Network. *International Journal of Engineering*, 32(10), 1454-1463.
16. Eyvindson, K., Öhman, K., & Nordström, E. M. (2018). Using uncertain preferential information from stakeholders to assess the acceptability of alternative forest management plans. *Journal of Multi-Criteria Decision Analysis*, 25(1-2), 43-52.
17. Fan, C. L. (2020). Application of the ANP and fuzzy set to develop a construction quality index: A case study of Taiwan construction inspection. *Journal of Intelligent & Fuzzy Systems*, (Preprint), 1-16.
18. Fan, S., Zhang, J., Blanco-Davis, E., Yang, Z., & Yan, X. (2020). Maritime accident prevention strategy formulation from a human factor perspective using Bayesian Networks and TOPSIS. *Ocean Engineering*, 210, 107544.
19. Gao, C.Y. and Peng, D.H., 2011. Consolidating SWOT analysis with nonhomogeneous uncertain preference information. *Knowledge-Based Systems*, 24(6), pp.796-808.
20. Haddad, M., Sanders, D., & Tewkesbury, G. (2020). Selecting a discrete multiple criteria decision making method for Boeing to rank four global market regions. *Transportation Research Part A: Policy and Practice*, 134, 1-15.
21. Hwang, C. L., & Yoon, K. (1981). Methods for multiple attribute decision making. In *Multiple attribute decision making* (pp. 58-191). Springer Berlin Heidelberg.
22. Ikram, M., Sroufe, R., & Zhang, Q. (2020). Prioritizing and overcoming barriers to integrated management system (IMS) implementation using AHP and G-TOPSIS. *Journal of Cleaner Production*, 254, 120121.
23. Jaller, M., & Otay, I. (2020, July). Evaluating Sustainable Vehicle Technologies for Freight Transportation Using Spherical Fuzzy AHP and TOPSIS. In *International Conference on Intelligent and Fuzzy Systems* (pp. 118-126). Springer, Cham.
24. Kara, S. S., & Cheikhrouhou, N. (2014). A multi criteria group decision making approach for collaborative software selection problem. *Journal of Intelligent & Fuzzy Systems*, 26(1), 37-47.
25. Karimi, T., & Hojati, A. (2020). Designing a medical rule model system by using rough–grey modeling. *Grey Systems: Theory and Application*.
26. Laurenza, M., Consolini, G., Storini, M. and Damiani, A., 2012. A Shannon entropy approach to the temporal evolution of SEP energy spectrum. *Astrophysics and Space Sciences Transactions*, 8(1), pp.19-24.
27. Li, B., & Zhu, X. (2019). Grey relational decision making model of three-parameter interval grey number based on AHP and DEA. *Grey Systems: Theory and Application*.
28. Li, R., & Sun, T. (2020). Assessing Factors for Designing a Successful B2C E-Commerce Website using Fuzzy AHP and TOPSIS-Grey Methodology. *Symmetry*, 12(3), 363.
29. Lin, Y., Chen, M. Y., & Liu, S. (2004). Theory of grey systems: capturing uncertainties of grey information. *Kybernetes*.

30. Mediouni, A., & Cheikhrouhou, N. (2019). Expert Selection for Humanitarian Projects Development: A Group Decision Making approach with Incomplete Information Relations. *IFAC-PapersOnLine*, 52(13), 1943-1948.
31. Mosadeghi, R., Warnken, J., Tomlinson, R. and Mirfenderesk, H., 2013. Uncertainty analysis in the application of multi-criteria decision-making methods in Australian strategic environmental decisions. *Journal of Environmental Planning and Management*, 56(8), pp.1097-1124.
32. Negash, Y. T., Kartika, J., Tseng, M. L., & Tan, K. (2020). A novel approach to measure product quality in sustainable supplier selection. *Journal of Cleaner Production*, 252, 119838.
33. Ocampo, L., Deiparine, C. B., & Go, A. L. (2020). Mapping Strategy to Best Practices for Sustainable Food Manufacturing Using Fuzzy DEMATEL-ANP-TOPSIS. *Engineering Management Journal*, 1-21.
34. Rauch, P., 2007. SWOT analyses and SWOT strategy formulation for forest owner cooperations in Austria. *European journal of forest research*, 126(3), pp.413-420.
35. Sachdeva, A., Kumar, D. and Kumar, P., 2009. Multi-factor failure mode critically analysis using TOPSIS. *Journal of Industrial Engineering International Islamic Azad University*, 5(8), pp.1-9.
36. Sanito, R. C., You, S. J., Chang, T. J., & Wang, Y. F. (2020). Economic and environmental evaluation of flux agents in the vitrification of resin waste: A SWOT analysis. *Journal of Environmental Management*, 270, 110910.
37. Sevkli, M., Oztekin, A., Uysal, O., Torlak, G., Turkyilmaz, A. and Delen, D., 2012. Development of a fuzzy ANP based SWOT analysis for the airline industry in Turkey. *Expert Systems with Applications*, 39(1), pp.14-24.
38. Shahanipour, S., Amindoust, A., Sahraian, K., & Beiranvand, S. (2020). Identification and prioritization of human resource strategies with employees' creativity approach in administrative organizations using SWOT-ANP. *OPSEARCH*, 57(1), 119-143.
39. Shannon, C.E., 2001. A mathematical theory of communication. *ACM SIGMOBILE Mobile Computing and Communications Review*, 5(1), pp.3-55.
40. Vahidi, F., Torabi, S. A., & Ramezankhani, M. J. (2018). Sustainable supplier selection and order allocation under operational and disruption risks. *Journal of Cleaner Production*, 174, 1351-1365.
41. Wang, Y., Xu, L., & Solangi, Y. A. (2020). Strategic renewable energy resources selection for Pakistan: Based on SWOT-Fuzzy AHP approach. *Sustainable Cities and Society*, 52, 101861.
42. Wang, Ying, Li Xu, and Yasir Ahmed Solangi. "Strategic renewable energy resources selection for Pakistan: Based on SWOT-Fuzzy AHP approach." *Sustainable Cities and Society* 52 (2020): 101861.
43. Wang, Z. X. (2013). Correlation analysis of sequences with interval grey numbers based on the kernel and greyness degree. *Kybernetes*.
44. Xu, D., & Dong, L. (2019). Strategic diagnosis of China's modern coal-to-chemical industry using an integrated SWOT-MCDM framework. *Clean Technologies and Environmental Policy*, 21(3), 517-532.
45. Yildirim, B. F., & Mercangoz, B. A. (2020). Evaluating the logistics performance of OECD countries by using fuzzy AHP and ARAS-G. *Eurasian Economic Review*, 10(1), 27-45.
46. Zakeri, S. (2019). Ranking based on optimal points multi-criteria decision-making method. *Grey Systems: Theory and Application*.

47. Zakeri, S. and Keramati, M.A., 2015. Systematic combination of fuzzy and grey numbers for supplier selection problem. *Grey Systems: Theory and Application*, 5(3), pp.313-343.
48. Zakeri, S., Delavar, M. R. R., & Cheikhrouhou, N. (2020). Dairy market selection approach using MCDM methods: a case of Iranian dairy market. *International Journal of Management and Decision Making*, 19(3), 267-311.
49. Zakeri, S., Yang, Y., & Hashemi, M. (2018). Grey strategies interaction model. *Journal of strategy and management*.
50. Zamani, R., Ali, A. M. A., & Roozbahani, A. (2020). Evaluation of Adaptation Scenarios for Climate Change Impacts on Agricultural Water Allocation Using Fuzzy MCDM Methods. *Water Resources Management*, 34(3), 1093-1110.
51. Zavadskas, E. K., Turskis, Z., Stević, Ž., & Mardani, A. (2020). Modelling procedure for the selection of steel pipes supplier by applying fuzzy AHP method. *Operational Research in Engineering Sciences: Theory and Applications*, 3(2), 39-53.
52. Zha, S., Guo, Y., Huang, S., & Wang, S. (2020). A Hybrid MCDM Method Using Combination Weight for the Selection of Facility Layout in the Manufacturing System: A Case Study. *Mathematical Problems in Engineering*, 2020.
53. Zhang, X., Jin, F. and Liu, P., 2013. A grey relational projection method for multi-attribute decision making based on intuitionistic trapezoidal fuzzy number. *Applied Mathematical Modelling*, 37(5), pp.3467-3477.
54. Zhou, H., Wang, J. Q., & Zhang, H. Y. (2018). Multi-criteria decision-making approaches based on distance measures for linguistic hesitant fuzzy sets. *Journal of the operational research Society*, 69(5), 661-675.